


THE LEADER OF GROOVING &
SLITTING MACHINERY,PACKAGE MACHINE

KLJ-600


Fully Bidirectional Automatic Grooving Machine



KLJ-600

Material: Gray Board, Framed

Function: Bidirectional grooving




Technical parameters:

Material Thickness	1.5-3.5mm
MDF/Corrugated Board :	2.0-3.0mm
Feeding Size:	50-800mm(L);50-600mm(W)
Speed:	15 travels/min (1 travel= forward +backward)
Grooving Line accuracy	±0.15mm
Max Line Quantity:	8 Lines
Grooving Angle:	90 degree-130 degree adjustable
Workbench Size:	650*1000mm
Beam Quantity:	Two Rows
Knife Holder:	8 sets 90 degree knife holders
Distance of Two Lines:	0-800mm (no limit, zero is also okay)
Power	8.0KW
Accessory	1 EA grinder of knife 1 tool box:1set Allen wrench, straight screwdriver of 4 inch, open spanner, adjustable wrench, grater, instruction manual of inverter 20 PCS blades of V shape
Machine Dimension:	1860*1462*1500mm
Machine Weight:	800KG

Machine Standard configuration list:

Roller material:	Shanghai BAOSTEEL
Frequency changer:	Hope brand (If customer need change the brand, we also can use Schneider brand or another brand)
Low-voltage apparatus:	Eaton Muller brand
Machine main motor:	CHENGBANG,TAIWAN BRAND
Belt:	XIBEK,CHINA
Knife:	Special Tungsten alloy steel
Collector belt motor	ZHONGDA brand,China





---SAILI Workshop---



Remarks:

Delivery time: within 15-25 days after receiving the deposit

Payment terms: 30% TT in advance, 70% payment before delivery

Installation: If the buyer need our factory to sent engineer go to install, the buyer will cover all expense of engineers visiting including round-trip tickets, local transportation, meals and loading expenses.

---Our New Factory ---



MOCHENG INDUSTRY ZONE, AOJIANG TOWN, PINGYANG, ZHEJIANG 325400

Mob/Whatsapp: 008613567747658 PRODUCT MANAGER: JANE ZENG



MOCHENG INDUSTRY ZONE, AOJIANG TOWN, PINGYANG, ZHEJIANG 325400

Mob/Whatsapp: 008613567747658 PRODUCT MANAGER: JANE ZENG