

PROLONG THE SERVICE LIFE OF YOUR HOUSEHOLD APPLIANCES



British Series:

Main Market: Africa / Middle East

Feature:

1. Plastic Case: Fireproof PC or ABS
2. High Quality Relay: The protector can have better output capacity, and prolong the service life of the protector;
3. A variety of designs are available;
4. Copper: Copper pins and copper parts, more safe and durable;
5. Microprocessor control: better accuracy and faster reaction;
6. Parameters could be customized according to your requirements.

Protect Your:



0901	
Operating Voltage:	220VAC
Operating Frequency:	50HZ-60Hz
Under Voltage Cut-off:	165VAC
Over Voltage Cut-off:	260VAC
Delay Time:	210s
Output Capacity:	10A,2200w
Packing:	Double Blister
Warranty:	1 Year



0917	
Operating Voltage:	220VAC
Operating Frequency:	50HZ-60Hz
Under Voltage Cut-off:	165VAC
Over Voltage Cut-off:	255VAC
Delay Time:	210s+Bypass
Output Capacity:	20A,4400w
Packing:	Double Blister
Warranty:	1 Year



1004	
Operating Voltage:	220VAC
Operating Frequency:	50Hz-60Hz
Under Voltage Cut-off:	120VAC
Over Voltage Cut-off:	255VAC
Delay Time:	5s/210s
Output Capacity:	13A,2860w
Packing:	Double Blister
Warranty:	1 Year



1004USB	
Operating Voltage:	220VAC
Operating Frequency:	50HZ-60Hz
Under Voltage Cut-off:	120VAC
Over Voltage Cut-off:	255VAC
Delay Time:	5s/210s
Output Capacity:	13A,2860w
USB Port:	5V,2.1A
Packing:	Double Blister
Warranty:	1 Year



1108	
Operating Voltage:	220VAC
Operating Frequency:	50Hz-60Hz
Under Voltage Cut-off:	150VAC
Over Voltage Cut-off:	255VAC
Delay Time:	5s/210s
Output Capacity:	13A,2860w
Packing:	Double Blister
Warranty:	1 Year



1417	
Operating Voltage:	220VAC
Operating Frequency:	50Hz-60Hz
Under Voltage Cut-off:	165VAC
Over Voltage Cut-off:	255VAC
Delay Time:	5s/210s
Output Capacity:	13A,2860w
Packing:	Double Blister
Warranty:	1 Year



1503	
Operating Voltage:	220VAC
Operating Frequency:	50Hz-60Hz
Under Voltage Cut-off:	165VAC
Over Voltage Cut-off:	255VAC
Delay Time:	210s+Bypass
Output Capacity:	13A,2860w
Packing:	Double Blister
Warranty:	1 Year



1513	
Operating Voltage:	220VAC
Operating Frequency:	50Hz-60Hz
Under Voltage Cut-off:	165VAC
Over Voltage Cut-off:	255VAC
Delay Time:	210s+Bypass
Output Capacity:	13A,2860w
Packing:	Double Blister
Warranty:	1 Year



1519	
Operating Voltage:	220VAC
Operating Frequency:	50Hz-60Hz
Under Voltage Cut-off:	165VAC
Over Voltage Cut-off:	255VAC
Delay Time:	5s/210s
Output Capacity:	13A,2860w
Packing:	Double Blister
Warranty:	1 Year



1517
Operating Voltage: 220V AC
Operating Frequency: 50Hz-60Hz
Under Voltage Cut-off: 165V AC
Over Voltage Cut-off: 255V AC
Delay Time: 5s/2 10s
Output Capacity: 13A, 2860w
Packing: Double Blister
Warranty: 1 Year



T1810
Operating Voltage: 220V AC
Operating Frequency: 50Hz-60Hz
Under Voltage Cut-off: 165V AC
Over Voltage Cut-off: 255V AC
Delay Time: 5s/2 10s
Output Capacity: 13A, 2860w
Packing: Double Blister
Warranty: 1 Year



9805S
Operating Voltage: 220V AC
Operating Frequency: 50Hz-60Hz
Under Voltage Cut-off: 180V AC
Over Voltage Cut-off: 260V AC
Delay Time: 180s+Bypass
Output Capacity: 13A, 2860w
Packing: Double Blister
Warranty: 1 Year



9802 TV
Operating Voltage: 220V AC
Operating Frequency: 50Hz-60Hz
Over Voltage Cut-off: 260V AC
Delay Time: 5s or 30s
Output Capacity: 13A, 2860w
Packing: Color Box
Warranty: 1 Year



9802 Fridge
Operating Voltage: 220V AC
Operating Frequency: 50Hz-60Hz
Under Voltage Cut-off: 180V AC
Delay Time: 90s
Output Capacity: 13A, 2860w
Packing: Color Box
Warranty: 1 Year



9803 TV
Operating Voltage: 220V AC
Operating Frequency: 50Hz-60Hz
Over Voltage Cut-off: 260V AC
Delay Time: 5s or 30s
Output Capacity: 13A, 2860w
Packing: Color Box
Warranty: 1 Year



1603
Operating Voltage: 220V AC
Operating Frequency: 50Hz-60Hz
Under Voltage Cut-off: 170V AC
Over Voltage Cut-off: 255V AC
Delay Time: 5s/3 min
Output Capacity: 13A, 2860W
Packing: Double Blister
Warranty: 1 Year



9801 Fridge
Operating Voltage: 220V AC
Operating Frequency: 50Hz-60Hz
Under Voltage Cut-off: 180V AC
Over Voltage Cut-off: 260V AC
Delay Time: 90s+Bypass
Output Capacity: 13A, 2860w
Packing: Color Box / Blister
Warranty: 1 Year



9801B TV
Operating Voltage: 220V AC
Operating Frequency: 50Hz-60Hz
Over Voltage Cut-off: 260V AC
Delay Time: 30s+Bypass
Output Capacity: 13A, 2860w
Packing: Color Box / Blister
Warranty: 1 Year



9803 Fridge
Operating Voltage: 220V AC
Operating Frequency: 50Hz-60Hz
Under Voltage Cut-off: 180V AC
Delay Time: 90s
Output Capacity: 13A, 2860w
Packing: Color Box
Warranty: 1 Year



2125 TV
Operating Voltage: 220V AC
Operating Frequency: 50Hz-60Hz
Over Voltage Cut-off: 260V AC
Delay Time: 30s
Output Capacity: 13A, 2860w
Packing: Double Blister/Color Box
USB Ports: Optional
Warranty: 1 Year



2125 Fridge
Operating Voltage: 220V AC
Operating Frequency: 50Hz-60Hz
Under Voltage Cut-off: 180V AC
Delay Time: 90s
Output Capacity: 13A, 2860w
Packing: Double Blister/Color Box
USB Ports: Optional
Warranty: 1 Year



1618
Operating Voltage: 220V AC
Operating Frequency: 50Hz-60Hz
Under Voltage Cut-off: 165V AC
Over Voltage Cut-off: 255V AC
Delay Time: 5s/210s
Output Capacity: 13A, 2860W
Packing: Double Blister
Warranty: 1 Year



9800B Fridge
Operating Voltage: 220V AC
Operating Frequency: 50Hz-60Hz
Under Voltage Cut-off: 180V AC
Over Voltage Cut-off: 260V AC
Delay Time: 90s+Bypass
Output Capacity: 13A, 2860w
Packing: Color Box / Blister
Warranty: 1 Year



9800 TV
Operating Voltage: 220V AC
Operating Frequency: 50Hz-60Hz
Over Voltage Cut-off: 260V AC
Delay Time: 30s+Bypass
Output Capacity: 13A, 2860w
Packing: Color Box / Blister
Warranty: 1 Year



2125D TV
Operating Voltage: 220V AC
Operating Frequency: 50Hz-60Hz
Over Voltage Cut-off: 260V AC
Over Voltage Cut-off: 260V AC
Delay Time: 90s
Output Capacity: 13A, 2860w
Packing: Double Blister/Color Box
USB Ports: Optional
Warranty: 1 Year



1517B
Operating Voltage: 220V AC
Operating Frequency: 50Hz-60Hz
Under Voltage Cut-off: 165V AC
Over Voltage Cut-off: 255V AC
Delay Time: 5s/210s
Output Capacity: 13A, 2860w
Packing: Double Blister
Warranty: 1 Year



1905
Operating Voltage: 220V AC
Operating Frequency: 50Hz-60Hz
Under Voltage Cut-off: 165V AC
Over Voltage Cut-off: 260V AC
Delay Time: 120s+Bypass
Output Capacity: 13A, 2860w
Packing: Double Blister
Warranty: 1 Year



1704	
Operating Voltage:	220V AC
Operating Frequency:	50Hz-60Hz
Under Voltage Cut-off:	165V AC
Over Voltage Cut-off:	255V AC
Delay Time:	210s+Bypass
Output Capacity:	13A,2860w
Packing:	Double Blister
Warranty:	1 Year



2123	
Operating Voltage:	220V AC
Operating Frequency:	50Hz-60Hz
Under Voltage Cut-off:	165V AC(140V~180V adjustable)
Over Voltage Cut-off:	260V AC(230V~280V adjustable)
Delay Time:	5s/210s
Output Capacity:	13A,2860w
Packing:	Double Blister/Color Box
Warranty:	1 Year



MVP1707	
Operating Voltage:	220V
Over Voltage Frequency:	245V
Under Voltage Cut-off(AC):	130V/175Voptional
Current:	13A
Delay Time:	5s/210s
Plug:	4.8mm Round Pins
Packing:	Double Blister/Color Box
Warranty:	1 Year



1910	
Operating Voltage:	220VAC
Operating Frequency:	50Hz-60Hz
Under Voltage Cut-off:	150V/180V Optional
Over Voltage Cut-off:	260V
Delay Time:	5s/5s-210s adjustable
Output Capacity:	13A,2860W
Plug:	British Plug or 4.8mm Round Pins
Packing:	Double Blister/Color Box
Warranty:	1 Year



1425	
Operating Voltage:	220V AC
Operating Frequency:	50Hz-60Hz
Under Voltage Cut-off:	165V AC
Over Voltage Cut-off:	260V AC
Delay Time:	210s+Bypass
Output Capacity:	15A, 3300W
Packing:	Double Blister/Color Box
Warranty:	1 Year



1426	
Operating Voltage:	220V AC
Operating Frequency:	50Hz-60Hz
Under Voltage Cut-off:	165V AC
Over Voltage Cut-off:	260V AC
Delay Time:	210s+Bypass
Output Capacity:	15A, 3300W
Packing:	Double Blister/Color Box
Warranty:	1 Year



LVP1707	
Operating Voltage:	220V AC
Operating Frequency:	50Hz-60Hz
Under Voltage Cut-off:	165V AC
Over Voltage Cut-off:	260V AC
Delay Time:	5s/210s
Output Capacity:	13A,2860w
Plug:	British Plug
Packing:	Double Blister
Warranty:	1 Year



2101	
Operating Voltage:	220V AC
Operating Frequency:	50Hz-60Hz
Under Voltage Cut-off:	165V(140V~180Vadjustable)
Over Voltage Cut-off:	260V(230V~280Vadjustable)
Delay Time:	5s/3min
Output Capacity:	13A,2860W
Plug:	British Plug or 4.8mm Round Pins
Packing:	Double Blister/Color Box
Warranty:	1 Year



2102	
Operating Voltage:	220V AC
Operating Frequency:	50Hz-60Hz
Under Voltage Cut-off:	165V(140V~180Vadjustable)
Over Voltage Cut-off:	260V(230V~280Vadjustable)
Delay Time:	5s/3min
Output Capacity:	13A,2860W
Plug:	British Plug or 4.8mm Round Pins
Packing:	Double Blister/PVC
Warranty:	1 Year



1705	
Operating Voltage:	220V AC
Operating Frequency:	50Hz-60Hz
Under Voltage Cut-off:	165V AC
Over Voltage Cut-off:	255V AC
Delay Time:	210s+Bypass
Output Capacity:	30A, 6600W
Packing:	Double Blister
Warranty:	1 Year



M1	
Operating Voltage:	220V AC
Operating Frequency:	50Hz-60Hz
Under Voltage Cut-off:	140V~180V AC
Over Voltage Cut-off:	230V~280V AC
Delay Time:	5s/210s, switch
Output Capacity:	13A,2860w
Packing:	Double Blister
Warranty:	1 Year



M2	
Operating Voltage:	220V AC
Operating Frequency:	50Hz-60Hz
Under Voltage Cut-off:	140V~180V AC
Over Voltage Cut-off:	230V~280V AC
Delay Time:	5s/210s, switch
Output Capacity:	13A,2860w
Packing:	Double Blister
Warranty:	1 Year



2103	
Operating Voltage:	220V AC
Operating Frequency:	50Hz-60Hz
Under Voltage Cut-off:	165V AC(140V~180V adjustable)
Over Voltage Cut-off:	260V AC(140V~180V adjustable)
Delay Time:	5s/210s
Output Capacity:	13A,2860w
Packing:	Double Blister/Color Box
Warranty:	1 Year



2108	
Operating Voltage:	220V AC
Operating Frequency:	50Hz-60Hz
Under Voltage Cut-off:	165V AC(140V~180V adjustable)
Over Voltage Cut-off:	260V AC(140V~180V adjustable)
Delay Time:	5s/3min
Output Capacity:	13A,2860w
Packing:	Double Blister/Color Box
Warranty:	1 Year



2112	
Operating Voltage:	220V AC
Operating Frequency:	50Hz-60Hz
Under Voltage Cut-off:	165V AC
Over Voltage Cut-off:	255V AC
Delay Time:	5s/210s
Output Capacity:	13A,2860w
Packing:	Double Blister/Color Box
Warranty:	1 Year



M3	
Operating Voltage:	220V AC
Operating Frequency:	50Hz-60Hz
Under Voltage Cut-off:	140V~180V AC
Over Voltage Cut-off:	230V~280V AC
Delay Time:	5s/210s, switch
Output Capacity:	13A,2860w
Packing:	Double Blister
Warranty:	1 Year



M4	
Operating Voltage:	220V AC
Operating Frequency:	50Hz-60Hz
Under Voltage Cut-off:	140V~180V AC
Over Voltage Cut-off:	230V~280V AC
Delay Time:	5s/210s, switch
Output Capacity:	13A,2860w
Packing:	Double Blister
Warranty:	1 Year



M5	
Operating Voltage:	220V AC
Operating Frequency:	50Hz-60Hz
Under Voltage Cut-off:	140V~180V AC
Over Voltage Cut-off:	230V~280V AC
Delay Time:	5s/210s, switch
Output Capacity:	13A,2860w
Packing:	Double Blister
Warranty:	1 Year